| Ref # | Hits | Search Query | DBs | Default Operator | Plurals | Time Stamp |
|----------|------|---|---|---------------------|---------|------------------|
| Li | 103 | request\$4 near10 buffer\$4 and record near3 definition\$1 | US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB | OR | OFF | 2005/01/25 12:20 |
| L2 | 92 | request\$4 near10 buffer\$4 and record near3 definition\$1 and @ad<"20011121" | US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB | OR | OFF | 2005/01/25 12:21 |
| L3 | 25 | request\$4 near10 buffer\$4 and record adj definition\$1 and @ad<"20011121" | US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB | OR | OFF | 2005/01/25 12:32 |
| L4 | 429 | request\$4 near10 buffer\$4 near10 large\$2 and @ad<"20011121" | US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB | OR | OFF | 2005/01/25 12:32 |
| L5 | 620 | request\$4 with buffer\$4 with large\$2 and @ad<"20011121" | US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB | OR | OFF | 2005/01/25 12:32 |
| L6 | 26 | request\$4 near10 buffer\$4 near10 large\$2 near10 sufficient\$4 and @ad<"20011121" | US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB | OR | OFF | 2005/01/25 12:34 |
| L7 | 70 | request\$4 near10 buffer\$4 near10 large\$2 near10 (contain\$4 store stores) and @ad<"20011121" | US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB | OR | OFF | 2005/01/25 12:38 |
| L8 | 21 | request\$4 near10 buffer\$4 near10 able near10 (contain\$4 store stores) and @ad<"20011121" | US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB | OR | OFF | 2005/01/25 12:42 |
| L9 | 1 | dynamic\$4 near10 size near10 buffer\$4 near10 reallocat\$4 and @ad<"20011121" | US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB | OR | OFF | 2005/01/25 12:43 |

| L10 | 381 | dynamic\$4 near10 size near10 buffer\$4 and @ad<"20011121" | US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB | OR | OFF | 2005/01/25 12:43 |
|----------|------|--|---|----|-----|------------------|
| . L. 191 | 26 | reallocat\$4 near10 (size sized) near10 buffer\$4 and @ad<"20011121" | US=PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB | OR | OFF | 2005/01/25 12:48 |
| L12 | 15 | "5640604" | US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB | OR | OFF | 2005/01/25 13:07 |
| L13 | 82 | 709/204-206,227-230.ccls. and 711/100-154.ccls. | US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB | OR | OFF | 2005/01/25 13:08 |
| L14 | 0 | 709/204-206,227-230.ccls. and 711/100-154.ccls. and 710/5257. ccls. | US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB | OR | OFF | 2005/01/25 13:08 |
| L15 | 7 | 709/204-206,227-230.ccls. and 711/100-154.ccls. and 710/52-57. ccls. | US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB | OR | OFF | 2005/01/25 13:08 |
| S1 | 5 | allocat\$4 near10 buffer\$4 near10 receiv\$4 near10 data near10 socket\$4 | US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB | OR | OFF | 2005/01/25 09:04 |
| S2 | 1302 | allocat\$4 near10 buffer\$4 near10 (socket\$4 port\$4) and 2ad<"20011121" | US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB | OR | OFF | 2005/01/25 09:04 |
| S3 | 997 | allocat\$4 near10 buffer\$4 near10 (socket\$4 port\$4) and @ad<"20011121" | US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB | OR | OFF | 2005/01/25 09:05 |
| S4 | 6 | allocat\$4 near10 buffer\$4 near10 (socket\$4 port\$4) and @ad<"20011121" and 709/204-206.ccls. | US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB | OR | OFF | 2005/01/25 09:07 |

| S5 | 3491 | allocat\$4 near10 (memory buffer\$4) near10 (socket\$4 port\$4) and @ad<"20011121" | US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB | OR | OFF | 2005/01/25 09:12 |
|-----|------|---|---|----|-----|------------------|
| S6 | 328 | allocat\$4 near10 (memory buffer\$4) near10 (socket\$4 port\$4) near10 receiv\$4 and @ad<"20011121" | US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB | OR | OFF | 2005/01/25 09:25 |
| S7 | 5 | allocat\$4 near10 (memory buffer\$4) near10 (socket\$4 port\$4) near10 receiv\$4 near10 stream\$4 and @ad<"20011121" | US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB | OR | OFF | 2005/01/25 09:22 |
| S8 | O | stor\$4 near10 data near10 receiv\$4 near10 socket\$4 same allocat\$4 near10 (buffer\$4 memory cache) and @ad<"20011121" | US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB | OR | OFF | 2005/01/25 09:23 |
| S9 | 7 | stor\$4 near10 data near10 receiv\$4 near10 socket\$4 and allocat\$4 near10 (buffer\$4 memory cache) and @ad<"20011121" | US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB | OR | OFF | 2005/01/25 09:23 |
| S10 | 170 | allocat\$4 near10 (memory buffer\$4) near10 (socket\$4 port\$4) near10 receiv\$4 near10 (data packet\$1) and @ad<"20011121" | US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB | OR | OFF | 2005/01/25 10:43 |
| S11 | 166 | request\$4 near10 buffer\$4 near10 format\$4 near10 data | US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB | OR | OFF | 2005/01/25 10:44 |
| S12 | 28 | request\$4 near10 buffer\$4 near10 format\$4 near10 data and "711"/\$.ccls. | US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB | OR | OFF | 2005/01/25 10:44 |
| S13 | 24 | request\$4 near10 buffer\$4 near10 format\$4 near10 data and "709"/\$.ccls. | US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB | OR | OFF | 2005/01/25 10:48 |
| S14 | 3 | request\$4 near10 buffer\$4 near10 format\$4 near10 packet\$4 and "709"/\$.ccls. | US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB | OR | OFF | 2005/01/25 10:49 |

| IBM TDB | S15 | 12 | request\$4 near10 buffer\$4 near10 format\$4 near10 packet\$4 | US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB | OR | OFF | 2005/01/25 12:18 |
|---------|-----|----|---|---|----|-----|------------------|
|---------|-----|----|---|---|----|-----|------------------|